

< Back to results | 1 of 1

Export Download Print E-mail Save to PDF Add to List More... >

Full Text View at Publisher

Indonesian Journal of Chemistry Open Access
 Volume 18, Issue 4, 2018, Pages 755-765

Synthesis , structural , density functional theory , and X-ray diffraction study of Zn(II) N-isopropylbenzylidithiocarbamate: Anti-corrosion screening in acid media (Article) (Open Access)

Latif, N.S.H.^a, Ghazali, S.A.I.S.M.^a, Abdullah, E.N.^b, Lahuri, A.H.^c, Ngatiman, M.F.^d, Dzulkifli, N.N.^a ✉

^aFaculty of Applied Sciences, Universiti Teknologi MARA Negeri Sembilan Branch, Kuala Pilah Campus, Negeri Sembilan 72000, Malaysia
^bExperimental and Theoretical Research Laboratory, Department of Chemistry, Kulliyah of Science, International Islamic University Malaysia, Bandar Indera Mahkota, Kuantan, Pahang 25200, Malaysia
^cDepartment of Basic Science and Engineering, Faculty of Agriculture and Food Sciences, Universiti Putra Malaysia, Bintulu, Sarawak 97008, Malaysia

View additional affiliations ▾

Abstract

▾ View references (33)

Corrosion of metal is a serious issue across many industries and is considered costly. Acids used during the cleaning process in industries may contribute to metal erosion. Dithiocarbamate is a ligand that can act as a corrosion inhibitor due to the presence of sulfur and nitrogen as electronegative atoms. Zn(II) N-isopropylbenzylidithiocarbamate (Zn[N-isopbenzdtc]₂) complex was synthesized through direct synthetic method of < 4 °C and characterized using Fourier Transform Infrared-Attenuated Total Reflectance (FTIR-ATR), Ultraviolet-Visible (UV-Vis), Nuclear Magnetic Resonance (NMR), X-ray crystallography study, molar conductivity, melting point, and gravimetric analysis. Corrosion inhibition of mild steel was studied for different corrosive media (1 M HCl and 1 M H₂SO₄). The synthesized inhibitor was studied at different concentrations of 1, 2, 3, 4, and 5 mM at 40 °C. As a conclusion, as the inhibitor concentration decreased, the efficiency of the corrosion inhibitor also decreased at a constant temperature. In this study, it showed that the corrosion activity of mild steel in 1 M H₂SO₄ was higher compared to 1 M HCl due to the higher concentration of H⁺, which makes H₂SO₄ more corrosive than HCl. © 2018, Gadjah Mada University. All rights reserved.

SciVal Topic Prominence ⓘ

Topic: Corrosion inhibitors | Carbon steel | mixed-type inhibitor

Prominence percentile: 99.785 ⓘ

Author keywords

Acid Corrosion inhibitor Dithiocarbamate Mild steel

ISSN: 14119420
 Source Type: Journal
 Original language: English
 DOI: 10.22146/ijc.34703
 Document Type: Article
 Publisher: Gadjah Mada University

References (33)

View in search results format >

Metrics ⓘ

0 Citations in Scopus
 0 Field-Weighted Citation Impact

✳

PlumX Metrics ▾

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

Set citation alert >

Set citation feed >

Related documents

A comparative study on FT-IR, conformational and electronic structure of 6-methylpurine
 Sahebalzamani, H.
 (2014) *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*
 Synthesis, characterization and antitumor activity of new organotin(IV) methoxyethylidithiocarbamate complexes
 Awang, N. , Kamaludin, N.F. , Baba, I.
 (2016) *Oriental Journal of Chemistry*

Synthesis, characterization, and cytotoxicity study of organotin(IV) complexes involving different dithiocarbamate groups
 Adeyemi, J.O. , Onwudiwe, D.C. , Singh, M.
 (2019) *Journal of Molecular Structure*

- ☐ 1 Obi-Egbedi, N.O., Obot, I.B.
 Xanthione: A new and effective corrosion inhibitor for mild steel in sulphuric acid solution ([Open Access](#))

(2013) *Arabian Journal of Chemistry*, 6 (2), pp. 211-223. Cited 39 times.
 doi: 10.1016/j.arabjc.2010.10.004

[View at Publisher](#)

- ☐ 2 Dar, S.H., Thirumaran, S., Selvanayagam, S.
 Synthesis, spectral and X-ray structural studies on Hg(II) dithiocarbamate complexes: A new precursor for HgS nanoparticles

(2015) *Polyhedron*, 96, pp. 16-24. Cited 11 times.
<http://www.journals.elsevier.com/polyhedron/>
 doi: 10.1016/j.poly.2015.04.020

[View at Publisher](#)

- ☐ 3 Kamaludin, N.F., Awang, N., Baba, I., Hamid, A., Meng, C.K.
 Synthesis, characterization and crystal structure of organotin(IV) N-Butyl-N-phenyldithiocarbamate compounds and their cytotoxicity in human leukemia cell lines ([Open Access](#))

(2013) *Pakistan Journal of Biological Sciences*, 16 (1), pp. 12-21. Cited 12 times.
<http://scialert.net/qredirect.php?doi=pjbs.2013.12.21&linkid=pdf>
 doi: 10.3923/pjbs.2013.12.21

[View at Publisher](#)

- ☐ 4 Karthikaiselvi, R., Subhashini, S.
 The water soluble composite poly(vinylpyrrolidone–methylaniline): A new class of corrosion inhibitors of mild steel in hydrochloric acid media ([Open Access](#))

(2017) *Arabian Journal of Chemistry*, 10, pp. S627-S635. Cited 18 times.
<http://colleges.ksu.edu.sa/Arabic%20Colleges/CollegeOfScience/ChemicalDept/AJC/default.aspx>
 ([ScienceDirect http://www.sciencedirect.com/science/journal/18785352](http://www.sciencedirect.com/science/journal/18785352))
 doi: 10.1016/j.arabjc.2012.10.024

[View at Publisher](#)

- ☐ 5 Mirzakhazadeh, Z., Kosari, A., Moayed, M.H., Naderi, R., Taheri, P., Mol, J.M.C.
 Enhanced corrosion protection of mild steel by the synergetic effect of zinc aluminum polyphosphate and 2-mercaptobenzimidazole inhibitors incorporated in epoxy-polyamide coatings

(2018) *Corrosion Science*, 138, pp. 372-379. Cited 6 times.
 doi: 10.1016/j.corsci.2018.04.040

[View at Publisher](#)

- ☐ 6 Li, J., Buchheit, R.
 Development of zinc ferrocyanide ion exchange compounds for corrosion-inhibiting and sensing pigments

(2017) *Progress in Organic Coatings*, 104, pp. 210-216. Cited 2 times.
www.elsevier.com/locate/porgcoat
 doi: 10.1016/j.porgcoat.2016.11.003

[View at Publisher](#)

Find more related documents in Scopus based on:

Authors > Keywords >